

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) •[Web History](#) | [Search settings](#) | [Sign in](#)

drug stored under nitrogen in blister pack

Search

[Advanced](#)[Web](#) [Show options...](#)

Results 1 - 10 of about 49,000 for

**Recycling Expensive Medication: Why Not?**by JM Pomerantz - 2004 - Cited by 5 - [Related articles](#)

[34] Not all **blister packaging** works as well. In the same study, ... It is even feasible to blister package **under nitrogen** or argon to reduce the oxygen in .... and fill out a form establishing that the medicine was properly **stored** and ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) • [Journal List](#) • [MedGenMed](#) • v.6(2); 2004**Sublingual drug delivery device - Patent 7658721**

by SS Steiner - 2010

Feb 9, 2010 ... In yet another embodiment, the **drug** formulation is **stored** on a ribbon .... **drug** from a **blister pack** pierced by the first hollow tube. ... Further, an individual who has a foreign substance located **under** the .... Examples of suitable gases include **nitrogen**, carbon dioxide, nitrous oxide, and air. ...

[www.freepatentsonline.com/7658721.html](http://www.freepatentsonline.com/7658721.html)**Orapred ODT (Prednisolone Sodium Phosphate) Drug Information: Uses ...**

Apr 10, 2009 ... (listed alphabetically **under** each subsection): ... Metabolic: Negative **nitrogen** balance due to protein catabolism. .... Dry your hands before peeling back the foil on the **blister pack** to carefully remove a tablet. .... **STORAGE: Store** at room temperature between 68-77 degrees F (20-25 degrees C) ...

[www.rxlist.com/orapred-odt-drug.htm](http://www.rxlist.com/orapred-odt-drug.htm) - [Cached](#) - [Similar](#)**Complete Testosterone information from Drugs.com**

**Store** blister packs ( Striant ) at controlled room temperature (68° to 77°F). ... Do not remove buccal system from **blister pack** until ready to apply. ... Pruritus at application site (37%); burn<sup>1</sup>, like blister reaction **under** system (12%); ... water; electrolyte changes (eg, calcium **nitrogen**, phosphorus, potassium, ...

[www.drugs.com/ppa/testosterone.html](http://www.drugs.com/ppa/testosterone.html) - [Cached](#) - [Similar](#)**Monistat 3 Official FDA information, side effects and uses.**

**Drugs.com - Drug Information and Side Effects** Online Skip to Content. Search: Search Button .... 1, 3 SUPPOSITORY In 1 **BLISTER PACK**, None ...

[www.drugs.com/pro/monistat-3.html](http://www.drugs.com/pro/monistat-3.html) - [Cached](#) - [Similar](#)[Show more results from www.drugs.com](#)**Packaging Solutions - Patent application - Packaging systems for ...**

A packaging system includes an ophthalmic device **stored** in an aqueous packaging .... These lenses can provide optical correction, wound care, **drug** delivery, .... Preferably, the sealed container is a hermetically sealed **blister-pack**, .... Then, while **under nitrogen** blanket, the contents were heated at 80 degree. ...

[www.faqs.org/patents/app/20090173045](http://www.faqs.org/patents/app/20090173045) - [Cached](#)**Align Daily Probiotic Supplement Can Help Restore Your Natural ...**

No, Align is a daily probiotic dietary supplement—it is not a **drug** or a medicine. ... You should **store** the blister package at or below room temperature (24° C/75° F). .... we recommend that you **store** Align in its original **blister pack**. ...

[www.aligngi.com/align-FAQ](http://www.aligngi.com/align-FAQ) - [Cached](#) - [Similar](#)**RxMed: Pharmaceutical Information - LOVENOX**

The comprehensive resource for physicians, **drug** and illness information ..... Prefilled syringes of 0.3 mL, cartons of 10, each in individual **blister pack**. 40 mg/0.4 mL: Each syringe contains: ... **Nitrogen** is used in the headspace to inhibit oxidation. **Store** at room temperature (15 to 25 °C). Protect from heat.

[www.rxmed.com/b.main/b2.../b2.1.../LOVENOX.html](http://www.rxmed.com/b.main/b2.../b2.1.../LOVENOX.html) - Cached · Similar

#### Medical Packaging Materials Information | Business.com

This is performed **under** specific conditions to maintain sterility. ... A **blister pack** is plastic packaging that is heat formed to a specific shape. ... Modified atmosphere packaging is the process of inserting a **drug** or device inside a package filled ... Online medical supply **store!** All your medical supply needs. ...

[www.business.com](http://www.business.com) · ... · Packaging Materials - Cached · Similar

#### NeuroSAME : Amen Clinics

NeuroSAME **Blister Pack**. SAME is a naturally occurring metabolite found in the ... to its stability in the **nitrogen** blister packs and maximized bioavailability by ... should not take SAME unless **under** professional medical supervision. ... These statements have not been evaluated by the Food and **Drug** Administration. ...

[www.amenclinics.com/store/index.php?main\\_page=product...](http://www.amenclinics.com/store/index.php?main_page=product...) - Cached

1 2 3 4 5 6 7 8 9 10 **Next**

---

drug stored under nitrogen in blister pack

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied?](#) [Help us im](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Prive](#)

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#)
[Sign in](#)

Google scholar

Blister, headspace oxygen

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)

Scholar

Articles and patents

anytime

include citations

Results 1 - 10 of about 406. (

### Rapid headspace oxygen analysis for pharmaceutical packaging applications

AC TEMPLETON, YHR Han, R Mahajan, RT ... - Pharmaceutical ..., 2002 - cat.inist.fr

... Emballage coque; **Blister** packaging; Embalaje capullo; Déggradation; Degradation; Degradación; Méthode étude; Investigation ... synthèse; Review; Artículo síntesis; Emballage; Packaging; Empaque; Oxygène; **Oxygen**; Oxígeno; Espace tête; **Headspace**; Espacio cabeza.

Cited by 10 - Related articles - BL Direct

### Use of oxygen scavengers to stabilize solid pharmaceutical dosage forms: a case ...

KC Waterman, MC Roy - Pharmaceutical development and ..., 2002 - informaworld.com

... Indicative of the rapid rate that the **oxygen** scavenger was able to consume the **headspace oxygen**. ... compound, rapid oxidative degradation is eliminated effectively by the addition of the **oxygen** scavengers. ... Alternatively, **blister** packaging with **oxygen** absorption capacity could ...

Cited by 10 - Related articles - BL Direct - All 7 versions

### The effect of inert atmospheric packaging on oxidative degradation in formulated ...

R Mahajan, A Templeton, A Harman, RA Reed, ... - Pharmaceutical ..., 2005 - Springer

... The % **oxygen** and the relative humidity in the **head-space** of the vials were monitored throughout ... selective electrode for **oxygen** determination was used for measuring the **oxygen** concentration (4 ... The instrument was set to withdraw 2 ml of **headspace** using a small internal ...

Cited by 3 - Related articles - All 4 versions

### Headspace Oxygen Analysis in Pharmaceutical Products

AC Templeton, RA Reed - 2004 update supplement, 2004 - books.google.com

... for the approach. (c) **Blister** packages: The small volume of individual **blister** cavities make this the most challenging of the various pharmaceutical packages to analyze for **headspace oxygen** levels. The challenges are twofold ...

Related articles - All 2 versions

### [PDF] Rapid Headspace Oxygen Analysis

R RH, RHRR ROO - Pharmaceutical Technology, 2002 - pharmtech.com

... The linearity of the analytical method was evaluated for **oxygen** over the range ... analysis approach to large-dimension pharmaceutical packaging types with 2-mL **headspace** volume such as HDPE bottles, glass vials, and blister packages (individual **blisters**) of sufficient ...

Related articles - View as HTML - All 6 versions

### Rapid, simultaneous determination of headspace oxygen and moisture in ...

H Xu, AC Templeton, M Zwierzyński, R Mahajan ... - ... of pharmaceutical and ..., 2005 - Elsevier

... Finally, studies showing the applicability of  $\mu$ GC for the simultaneous measurement of **headspace oxygen**/moisture in **blister** packaging and other common pharmaceutical packaging are presented. 2. Experimental. 2.1. Materials. 2.1.1. **Headspace oxygen** standard preparation. ...

Related articles - All 3 versions

### Dispensing unit for oxygen-sensitive drugs

KC Waterman - US Patent App. 10/099,646, 2002 - Google Patents

... The source of the **oxygen** being removed is primarily from the **headspace** and not from ingress ... of the **blister** and then the lid is laminated to it thus sealing the **blister** to encapsulate ... 2002 though this is expensive and generally does not lead to very low **oxygen head-space** levels. ...

[All 3 versions](#)

## OXYGEN ABSORBING PLASTIC STRUCTURE

S Solovyov, TH Powers - 2008 - [freepatentsonline.com](#)

... FIG. 1. Typical **blister pack** structure cross section ... provide a way to design and manufacture packaging structures with dual functionalities of rapid **head space** absorption and ... The invention provides a material structure that provides a high rate of absorption of **headspace oxygen**. ...

[All 3 versions](#)

## Stabilization of pharmaceuticals to oxidative degradation

KC Waterman, RC Ademi, KM Alsante, J ... - Pharmaceutical ..., 2002 - [informaworld.com](#)

... More thorough removal of **oxygen** in the **headspace** can be accomplished by a freeze-pump-thaw cycle. ... 4. **Oxygen** in the **headspace**. Both **oxygen** enriched and inert atmosphere samples can provide an indication of the tendency for a drug to oxidize in a particular formulation. ...

Cited by 65 - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

## SCAVENGING OXYGEN

M Rule, RJ Valus, SB Tattum, AP Brierley - 2010 - [freepatentsonline.com](#)

... that the containers include but are not limited to sachets, bottles, jars, bags, pouches, trays, pails, tubs, barrels, **blister packs**, or ... The internal **headspace oxygen** content over time was then tracked using the Oxsense™ test methodology, with calibration against standards being ...

[All 4 versions](#)

Goooooooooooooole ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google